POPULATION ESTIMATE	LONG-TERM CARE			LOCAL HEALTH DEPARTMENTS			
Total 2003 Population	16, 830	Community Options and MA Waiver as HSRS reports costs for services			Staffing ETE	Numbor	Per 10,000 Population
Population per square mile County ranking in state (	13 1-72) 66 Total	COP MA Waiver *	lients 3	Costs \$17, 402	Total staff Administrative Public health nurs Other prof. staff Technical/Parapro Support staff	8. 9 1. 0 ses 2. 8 2. 6	5. 3 0. 6 1. 7 1. 6
0-14 1, 440 1, 520 15-19 570 590 20-24 380 410	2, 960 1, 160 790	CI P1A CI P1B CI P2	8 23 14	\$518, 968 \$183, 899			
25-29 320 350 30-34 400 410 35-39 500 520 40-44 650 680	670 810 1, 020 1, 320	CIPIA CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs	59 9 2	\$345, 121 \$123, 097 \$101, 452 \$1, 742, 105	Fundi ng Total Local Taxes	\$434, 073 \$164, 185	Per capi ta \$25. 94 \$9. 81
45-54 1.310 1.380	2, 680				LI CENSED	ESTABLI SHME	NTS
55-64 1, 200 1, 200 65-74 840 870 75-84 500 430 85+ 230 130 Total 8, 340 8, 490	2, 390 1, 700 940 360 16, 830	\$144,408 of t were paid as lo using COP funds not included in	cal match This a above CO	/overmatch mount is P costs.	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools	Capaci ty 60 1,847 2,668	Facilities 15 50 181
Age Female Male 0-17 1,790 1,880 18-44 2,470 2,600	Total 3, 670 5, 060	* Waiver costs include federa	I funding		Pools Restaurants Vending	707	249 18 231 2
18-44 2, 470 2, 600 45-64 2, 510 2, 580 65+ 1, 570 1, 430 Total 8, 340 8, 490	5, 070 3, 000 16, 830	Eligible and Waiting			WI C. DA	DTI CI DANTO	
Poverty Estimates for 2000		(Family Care not	provi ded	in county)	WIC PA	KIICI PANIS	
Estimate ( All ages 2,051 12.7% Ages 0-17 651 16.7%	(C. I . +/-) 129 ( 6%) 53 ( 8%)	Note: Eligible a will be phased Waivers as ava	nd waitin into the ilable.	g clients COP and MA	Pregnant/Postparto Infants Children, age 1-4 Total		Number 257 253 435 945
   EMPLOYMENT					CANCER IN	CIDENCE (20	002)
Average wage for jobs covered by unemployment compensation (place of work)		Home Health Agen Patients Patients per 10	, 000 pop.	184 109	Primary Site Breast Cervical Colorectal	OT DENOE (20	8 0 7
Labor Force Estimates	Average	Nursing Homes Licensed beds Occupancy rate Residents on De	c 21	2 135 88. 6%	Lung and Bronchus Prostate Other sites Total		7 5 25 52
Civilian Labor Force Number employed Number unemployed Unemployment rate	620 6. 8%	Residents age 6 per 1,000 popu	5 or olde lation	r 37	Note: Totals shown invasive can		J2

Second of four pages

PAGE 2

			NATA	ALITY				
TOTAL LIVE BIRTHS		157	Birth Order	Births	Percent	Marital Status		
TOTAL ETTE BITCHIS		107	First	55	35	of Mother	Bi rths	Percent
Crude Live Birth Rate	7	9. 3	Second	50	32	Marri ed	79	50
General Fertility Rat		55. 6	Thi rd	28	18	Not married	78	50 50
1		55.0	Fourth or higher		15	Unknown	70	0
Live hirths with rope	ortod		Unknown	0	0	OTINTIOWIT	U	U
Live births with repo	n teu	3 1.9%	UTINTIOWIT	U	U	Educati on		
Congenital anomaires		3 1.9%				of Mother	Bi rths	Percent
Dolivery Tyro	D: mtho	Damaant	1at Dwamatal Viait	D: mtha	Damaant			
Delivery Type	Births	Percent	1st Prenatal Visit		Percent	Elementary or le	ess 3	2
Vagi nal after	1	4	1st trimester	116	74	Some high school	22	14
	1		2nd trimester	33	21	High school	62	39
Forceps	0	0	3rd trimester	4	3	Some college	37	24
Other vaginal	117	75 13	No vi si ts	1	1	College graduate		20
Primary česarean			Unknown	3	2	Unknown	1	1
Repeat cesarean	18	11						
	D		Prenatal Visits		Percent	Smoking Status	<b>5.</b>	
Birthweight	Bi rths	Percent	No visits	.1	<u>1</u>	of Mother	Bi rths	Percent
<1,500 gm	2 9 146	1.3	1-4	11	7	Smoker	40	25
1,500-2,499 gm	9	5. 7	5-9	66	42	Nonsmoker	116	74
2,500+ gm	146	93. 0	10-12	53	34	Unknown	1	1
Unknown	0	0	13+	26	17			
			Unknown	0	0			
			Low Birthweight		Tri mest	ter of First Prenata		
			(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births F		(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	107	68	(under 2,500 gm)	1st Tr Births 82	imester	2nd Trimester	Other/	
White Black/Afr. American	107 0	68 0	(under 2,500 gm) Births Percent 9 8.4 .	Bi rths 82	imester Percent 77	2nd Trimester Births Percent 21 20	Other/ Bi rths 4	Percent 4
White Black/Afr. American American Indian	107 0 45	68 0 29	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino	107 0 45 3	68 0 29 2	(under 2,500 gm) Births Percent 9 8.4 .	Bi rths 82	imester Percent 77	2nd Trimester Births Percent 21 20	Other/ Bi rths 4	Percent 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	107 0 45 3 0	68 0 29 2 0	(under 2,500 gm) Births Percent 9 8.4 2 4.4 *	Bi rths 82 31 *	imester Percent 77	2nd Trimester Births Percent 21 20	Other/ Bi rths 4	Percent 4
White Black/Afr. American American Indian Hispanic/Latino	107 0 45 3	68 0 29 2	(under 2,500 gm) Births Percent 9 8.4 .	Bi rths 82	imester Percent 77	2nd Trimester Births Percent 21 20	Other/ Bi rths 4	Percent 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	107 0 45 3 0	68 0 29 2 0	(under 2,500 gm) Births Percent 9 8.4 2 4.4 *	Bi rths 82 31 *	i mester Percent 77 69	2nd Trimester Births Percent 21 20 10 22	Other/ Bi rths 4 4 *	Percent 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	107 0 45 3 0 2	68 0 29 2 0 1	(under 2,500 gm) Births Percent 9 8.4	Bi rths 82 31	i mester Percent 77 69	2nd Trimester Births Percent 21 20	Other/ Births 4 4 * al Visit	Percent 4 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	107 0 45 3 0 2	68 0 29 2 0 1	(under 2,500 gm) Births Percent 9 8.4 . 2 4.4	Bi rths 82 31 *	i mester Percent 77 . 69	2nd Trimester Births Percent 21 20 10 22	Other/ Births 4 4 * al Visit Other/	Percent 4 9 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother	107 0 45 3 0 2 Fe Bi rths	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4	Bi rths 82 31 *	i mester Percent 77 69	2nd Trimester Births Percent 21 20	Other/ Births 4 4 * al Visit Other/	Percent 4 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15	107 0 45 3 0 2  Fe Bi rths	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 . 2 4.4	Bi rths 82 31 * 1st Tr Bi rths	i mester Percent 77 . 69	2nd Trimester Births Percent 21 20	Other/ Births 4 4 * al Visit Other/	Percent 4 9 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17	107 0 45 3 0 2  Fe Bi rths 0 4	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 2 4.4 * 2 4.5 Low Birthweight (under 2,500 gm) Births Percent *	Bi rths 82	i mester Percent 77 69	2nd Trimester Births Percent 21 20 10 22 ter of First Prenata 2nd Trimester Births Percent	Other/ Births 4 4 * al Visit Other/	Percent 4 9 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	107 0 45 3 0 2  Fe Bi rths 0 4 14	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 . 2 4.4	Bi rths 82	i mester Percent 77 . 69 Tri mest i mester Percent	2nd Trimester Births Percent 21 20 10 22 ter of First Prenata 2nd Trimester Births Percent	Other/ Bi rths 4 4 * al Vi si t Other/ Bi rths *	Percent 4 9 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	107 0 45 3 0 2 	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 . 2 4.4	Bi rths 82 31 * 1st Tr Bi rths 12 34	i mester Percent 77 . 69 Tri mest i mester Percent	2nd Trimester Births Percent 21 20 10 22 ter of First Prenata 2nd Trimester Births Percent 1 7 12 24	Other/ Births 4 4 * al Visit Other/	Percent 4 9 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	107 0 45 3 0 2 	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 . 2 4.4	Bi rths 82 31 * 1st Tr Bi rths 12 34 37	i mester Percent 77 . 69 Tri mest i mester Percent	2nd Trimester Births Percent 21 20 10 22 ter of First Prenata 2nd Trimester Births Percent 1 7 12 24 12 24	Other/ Bi rths 4 4 * al Vi si t Other/ Bi rths *	Percent 4 9 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	107 0 45 3 0 2 	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 . 2 4.4	Bi rths 82	i mester Percent 77 . 69 Tri mest i mester Percent	2nd Trimester Births Percent 21 20 10 22	Other/Births 4 . 4 . 4 . al Visit Other/Births . 1 4 1	Percent 4 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	107 0 45 3 0 2 	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 2 4.4 *  * Low Birthweight (under 2,500 gm) Births Percent 1 7.1 7 14.0 3 6.0	Bi rths 82 31 * 1st Tr Bi rths 12 34 37	i mester Percent 77 . 69 Tri mest i mester Percent	2nd Trimester Births Percent 21 20 10 22 ter of First Prenata 2nd Trimester Births Percent 1 7 12 24 12 24	Other/ Bi rths 4 4 * al Vi si t Other/ Bi rths *	Percent 4 9 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	107 0 45 3 0 2 	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 2 4.4 *  * Low Birthweight (under 2,500 gm) Births Percent 1 7.1 7 14.0 3 6.0	Bi rths 82	i mester Percent 77 . 69 Tri mest i mester Percent	2nd Trimester Births Percent 21 20 10 22	Other/Births 4 . 4 . 4 . al Visit Other/Births . 1 4 1	Percent 4 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	107 0 45 3 0 2 	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 2 4.4 *  * Low Birthweight (under 2,500 gm) Births Percent 1 7.1 7 14.0 3 6.0	Bi rths 82	i mester Percent 77 . 69 Tri mest i mester Percent	2nd Trimester Births Percent 21 20 10 22	Other/Births 4 . 4 . 4 . al Visit Other/Births . 1 4 1	Percent 4 . 9
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	107 0 45 3 0 2 	68 0 29 2 0 1 	(under 2,500 gm) Births Percent 9 8.4 2 4.4 *  Low Birthweight (under 2,500 gm) Births Percent 1 7.1 7 14.0 3 6.0	Bi rths 82 	i mester Percent 77 . 69 Tri mest i mester Percent . 86 68 74 85 64	2nd Trimester Births Percent 21 20 10 22	Other/Births 4 . 4 . 4 . All Visit Other/Births . 1 4 1 . 2	Percent 4 9 . 9

MORBI DI TY			MO	RTALLTY	
	Note: Death rates (e neonatal, and Perinatal and	except in postneon fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, ve births. hs plus
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngi tis, Aseptic Meni ngi tis, Bacterial Mumps Pertussis Sal monel losis Tubercul osis  Si Number  Number  5  0 Number  6  0 Number  7  0 Number  7  0 Number  7  0 Number  7  0 Number  8  0 Number  9  0 Numbe	1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84	Deaths	Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Disease Suicide	se 44 261 39 232 g 7 . 6 . 1 .* se 16 . 8 . 4 . 11 .
<ul> <li>* 2003 provisional data.</li> <li>** Includes all positive HBsAg test results.</li> </ul>	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 2 2		* Based on female popu ALCOHOL AND DRUG ABUSI OR CONTRIBUTING CAU	E AS UNDERLYING
Sexually Transmitted Disease Chlamydia Trachomatis 27 Genital Herpes 9 Gonorrhea 0 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	1 1		Al cohol Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICL Note: These data are b	e (see page 7). LE CRASHES
Children in Grades K-12 by Compliance Level Compliant 2,565 Non-compliant 52 Percent Compliant 98.0	Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Peri natal Mortal i ty Total Peri natal Neonatal Fetal	Deaths	Rate	Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on residence.  Persons Persons Injured Killed 128 4 36 4

		Per	Average		Charge	ITALIZATIONS 		Per	Average		Charge
DI SEASE /		1, 000	Stay	Average	Per	DI SEASE /		1, 000		Average	
AGE GROUP	Number	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
nj ury-Rel ated:	Al I					Al cohol -Rel ated	t				
Total	1/12	8. 4	3. 7	\$10, 858	\$92	Total	119	7. 1	4. 6	\$3, 724	\$26
<18	8					18-44	69	13. 6	4. 8	\$3, 442	\$47
<18 18-44 45-64 65+	43	8. 5	2. 7	\$8, 355	\$71	45-64	46	9. 1	4. 4	\$4, 056	\$37
45-64	39	7. 7	3. 6	\$11, 241	\$86	Pneumonia and I	nfl uenza				
65+	52	17. 3	4. 8	\$13, 572	\$235	Total	7.4	4. 4	3. 9	\$6, 966	\$31
Injury: Hip F	racture			•		<18 45-64 65+	7				
Total	15					45-64	12				
65+	13					65+	49	16. 3	4. 2	\$7, 416	\$121
Injury: Poiso	ni ngs					Cerebrovascul ar	Di sease			• •	•
Total	28	1. 7	1. 8	\$2, 906	\$5	Total	59	3. 5	4. 2	\$10, 888	\$38
18-44	16			. ,		45-64	11				
				•		65+	47	15. 7	4. 0	\$8, 841	\$138
Psychi atri c						Chronic Obstruc				, -,	
Total	96	5. 7	6. 9	\$5, 797	\$33	Total	42	2. 5	3. 2	\$5, 740	\$14
<18	17			,		<18	3			, , , ,	
18-44	45	8. 9	4. 1	\$3, 330	\$30	18-44	4				
45-64	24	4. 7	8. 0	\$7, 138	\$34	45-64 65+ Drug-Rel ated	9				
65+	10					65+	26	8. 7	4. 0	\$6, 956	\$60
	. •	•	·	·	·	Drug-Related	_0	<b>.</b> .	•	+0, 700	+55
Coronary Heart	Di sease					Total	32	1. 9	8. 1	\$5, 756	\$11
Total	87	5. 2	3. 8	\$19, 418	\$100	18-44	24	4. 7	7. 5	\$5, 164	\$24
45-64	17	0	0.0	4.77	4.55					+0/ .0.	<del>+-</del> .
65+		23. 3	4 2	\$21, 047	\$491	Total Hospitali	zations				
	, 0	20.0		Ψ21/01/	Ψ171	l Total ·	1 837	109. 2	3. 5	\$7, 963	\$869
Malignant Neopl	asms (Ca	ncers):	ALI			<18 18-44 45-64	243	66. 1	2. 4	\$3, 035	\$201
Total 18-44 45-64 65+	39	2 3	5.5	\$16, 743	\$39	18-44	478	94. 2	3. 0	\$5, 585	\$526
18-44	1					45-64	372	73. 2	3. 7	\$8, 907	\$652
45-64	12	•	•	•	•	65+	744	247. 8	4. 1	\$10, 628	\$2,634
65+	26	8. 7	6.3	\$20, 023	\$173		, , , ,	217.0		Ψ10, 020	Ψ2, 00 1
Neoplasms: Fe				female no		PF	REVENTARI E	HOSPI T	ALL 7ATI	ONS*	
Total	6					Total	293	17. 4	3. 4	\$6, 473	\$113
Neoplasms: Co			•	•	•	<18	20	5. 4	1. 8	\$2,744	\$115 \$15
Total	4					<18 18-44	29	5. 7	2. 3	\$5, 439	\$31
65+	3	•	•	•	•	45-64	60	11. 8	2. 9	\$5, <del>9</del> 97	\$71
Neoplasms: Lu		•	•	•	•	45-64 65+	184	61. 3	3. 8	\$7, 197	\$441
Total	3						104	51.5	5. 0	Ψ1, 171	ι ττ∵φ
)i abetes						* Hospitalizations	s for cond	itions	where t	imely and	effectiv
Total	30	1. 8	3. 6	\$7, 451	\$13	* Hospitalizations ambulatory care ca	an reduce	the lik	el i hood	of hosni	talizatio
65+	14	1. 0	J. U	Ψ1, τυ ι	ψ15	allour a cor y car e ce	an i cauce	CIIC III	CI I IIOOU	51 1103pt	tai i Zati C